

# ROADWORKS BEACON



**HEAVY-DUTY VERSION**  
VIRGIN HIGH-DENSITY POLYETHYLENE (HDPE)



**STANDARD VERSION**  
RECYCLED HIGH-DENSITY POLYETHYLENE (HDPE)



CONVENIENT HANDLE



HIGHLY REFLECTIVE SHEETINGS



COMPANY NAME OR LOGO



# Advantages +



## HIGHLY REFLECTIVE SHEETINGS

Engineering-Grade (RA1)  
High-Intensity Prismatic Grade (RA3).



## DIRECTIONAL ARROW

Will help you to position the beacon in the correct direction.



## CONVENIENT HANDLE

Easy to carry and install.



## COMPANY NAME OR LOGO

Can be moulded-in for easy identification.




## STACKABLE DESIGN WITH NOTCHES

Stays in place when stacked, easy to store.

TYPES	OVERALL DIMENSIONS	REFLECTIVE SHEETING DIMENSIONS	REFLECTIVE SHEETING TYPES
Standard Version	Hight: 1300 mm (51") Width: 280 mm (11") Base (foot): 60 × 60 mm (2.4" × 2.4" )	Hight: 1000 mm (39") Width: 250 mm (10")	Engineering-Grade (RA1) High-Intensity Prismatic Grade (RA3)
Heavy-duty Version			

## BEST SELLERS



6-3-102, 27 Pingxiang road,  
266011 Qingdao, CHINA



contact@sinoconcept.co.uk  
www.sinoconcept.co.uk